JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 342 (1988)

AUTHOR INDEX

Alt, H.G., (342) 235
Alvarez, S., (342) C13
Anderson, G.K., (342) 263
Appleton, T.G., (342) 399

Beaucourt, J.P., (342) C21
Beguin, F., (342) 137
Berhalter, K., (342) 303
Berke, H., (342) 67
Berry, R.D., (342) 399
Berti, S., (342) 245
Birk, R., (342) 67
Böcskei, Z., (342) 159
Braca, G., (342) 245
Bregadze, V.I., (342) 281
Brown, C., (342) 153
Bulot, E., (342) C21

Calabrese, J.C., (342) 269
Calhorda, M.J., (342) 209
Cambie, R.C., (342) 315
Carriedo, G.A., (342) 373
Carrondo, M.A.A.F. de C.T., (342) 209
Castel, A., (342) C1
Castiglioni, M., (342) 97, 111
Cho, N.S., (342) 1
Chodkiewicz, W., (342) C10
Clark, G.R., (342) 315
Collins, S., (342) 21
Cox, D.N., (342) 87
Cragg, R.H., (342) 153
Crocker, L.S., (342) 243
Csákvári, B., (342) 159

Darchen, A., (342) C15
Deubelly, B., (342) C29

Einspahr, H., (342) 339
Engelhardt, H.E., (342) 235
Evertz, K., (342) 67

Fauvarque, J.F., (342) 259
Folest, J.C., (342) 259

Gál, M., (342) 159
Gallagher, S.R., (342) 315
Garcia, M.H., (342) 209
Garkusha, O.G., (342) 281
Gauntlett, J.T., (342) C5
Gilaberte, J.M., (342) C13
Giordano, R., (342) 97, 111
Golubinskaya, L.M., (342) 281
Gould, G.L., (342) 243
Grandjean, D., (342) C15
Gray, G.M., (342) 339
Gree, R., (342) C21
Grega, K., (342) 129
Guillaumet, G., (342) 137

Hall, J.R., (342) 399
Heck, J., (342) 45
Heinekey, D.M., (342) 243
Huber, F., (342) 185
Hund, H.-U., (342) 67
Hung, C.W., (342) 9
Hursthouse, M.B., (342) 209
Huttner, G., (342) 67

Inouye, M., (342) C41
Ito, Y., (342) C41

Jaouen, G., (342) C10
Jeżowska-Trzebiatowska, B., (342) 215, 353
Jutland, A., (342) 259

Karsch, H.H., (342) C29
Keil, T., (342) C38
Klaeren, S.A., (342) 77
Klima, S., (342) 303
Knausz, D., (342) 159
Ko, Y.-H., (342) C1
Köpf, H., (342) 167
Köpf-Maier, P., (342) 167
Kowalski, D.J., (342) 201
Krüger, C., (342) 381
Kumar, R., (342) 263
Kuntz, B.A., (342) 21
Kurbakova, A.P., (342) 281

Lehmkuhl, H., (342) C38
Lellouche, J.P., (342) C21
Lemenovskii, D.A., (342) 31
Lhadi, E.K., (342) C15
Lokshin, B.V., (342) 281
López, C., (342) C13

Mann, B.E., (342) C5
Marceau, P., (342) 137
Martelli, J., (342) C21
Materikova, R.B., (342) 281
Miguel, D., (342) 373
Miller, T.J., (342) 153
Mintz, E.A., (342) 201
Mousser, A., (342) C15
Müller, A., (342) 295
Müller, G., (342) 381, C29
Murakami, M., (342) C41

Neale, D.W., (342) 399
Nifant'ev, I.E., (342) 31
Nissen-Sobocinska, B., (342) 215, 353

Orchin, M., (342) 129

Pankowski, M., (342) C10
Párkányi, C., (342) 1
Patin, H., (342) C15
Perevalova, E.G., (342) 31
Periasamy, M., (342) 15
Périchon, J., (342) 259
Predieri, G., (342) C33
Preut, H., (342) 185

Rao, S.A., (342) 15
Raspolli Galletti, A.M., (342) 245
Rausch, M.D., (342) 201
Reger, D.L., (342) 77
Riede, J., (342) C29
Riera, V., (342) 373
Rist, G., (342) 45
Rivière, P., (342) C1
Roth, J.A., (342) 129
Rouida, B., (342) C10
Roulet, R., 342) 87
Rüther, R., (342) 185
Rutledge, P.S., (342) 315

Sappa, E., (342) 97, 111, C33
Satgé, J., (342) C1
Sbrana, G., (342) 245
Screttas, C.G., (342) 143
Shihada, A.-F., (342) 177
Slovokhotov, Yu.L., (342) 31
Smith, D.O'N., (342) 153
Smonou, I.C., (342) 143
Stone, M.J., (342) 315
Struchkov, Yu.T., (342) 31
Suginome, M., (342) C41
Szakács, L., (342) 159

Takada, N., (342) 339
Taylor, N.J., (342) 21
Thewalt, U., (342) 303
Thorn, D.L., (342) 269
Timofeeva, T.V., (342) 31
Tiripicchio, A., (342) C33

Urazowski, I.F., (342) 31

Veith, M., (342) 295
Vignali, C., (342) C33

Ward, D.G., (342) 21
Weber, W.P., (342) 291
Weller, F., (342) 177
Werner, H., (342) 381
Winter, M.J., (342) C5
Wolf, J., (342) 381
Wong, C.H., (342) 9
Wong, H.N.C., (342) 9
Woodgate, P.D., (342) 315
Woodward, S., (342) C5

Yoo, G.S., (342) 1

Zell, A.L., (342) 339
Zhou, Q., (342) 291
Zsolnai, L., (342) 67

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 342 (1988)

SUBJECT INDEX

Antimony

μ-Oxobis(triorgano-antimony- and -bismuth-sulphonates), preparation of; crystal structure of $\{[(CH_3)_3SbOH_2]_2O\}(O_3SC_6H_5)_2$ (R. Rüther, F. Huber, H. Preut), (342)185

Bismuth

μ-Oxobis(triorgano-antimony- and -bismuth-sulphonates), preparation of; crystal structure of $\{[(CH_3)_3SbOH_2]_2O\}(O_3SC_6H_5)_2$ (R. Rüther, F. Huber, H. Preut), (342)185

Boron

trans-$[CpWMe(CHO)(CO)_2]^-$ and *trans*-$[CpWH(COMe)(CO)_2]^-$, formation from $CpWMe(CO)_3$ and $LiEt_3BH$ of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5

Di-s-butylaminophenylboranes, determination of activation parameters for restricted rotation about the B–N bond using ^{13}C NMR in (C. Brown, R.H. Cragg, T.J. Miller, D. O'N Smith), (342)153

Chromium

(Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[(8,9,11,12,13,14-η)-methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R.C. Cambie, G.R. Clark, S.R. Gallagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315

(η^5-Cyclopentadienyl)dicarbonylnitrosylchromium, ^1H and ^{13}C NMR study of carbonium ion stabilisation by (M.D. Rausch, D.J. Kowalski, E.A. Mintz), (342)201

Dinuclear cyclooctatetraenemetal complexes, results of synthesis attempts of; molecular dynamics of $(CpCr)_2$-μ-C_8H_8 and $CpCrC_8H_8$ (J. Heck, G. Rist), (342) 45

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Cobalt

σ-Alkynylmanganese ligands, preparation, crystal structure and reactivity of $\{[Co_2(CO)_6][\mu\text{-}PhCCMn(CO)_4(P(cyclo\text{-}C_6H_{11}))]\}$ (G.A. Carriedo, D. Miguel, V. Riera), (342)373

trans-$[Mo(CO)_5(R_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O)]_2M$ (M = Co, Ni, Cu) complexes, synthesis and characterisation of; crystal structure of *trans*-$[Mo(CO)_5(Ph_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O)]_2Ni \cdot 2Et_2O$ (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Organometallic cobaloximes, *cis* and *trans* effects and NMR correlations in (J.M. Gilaberte, C. López, S. Alvarez), (342)C13

Stoichiometric hydrogenation of α,β-unsaturated ketones by $HCo(CO)_4$ (J.A. Roth, K. Grega, M. Orchin), (342)129

Copper

Homo- and hetero-nuclear vinyl- and vinylidene-bridged dinuclear complexes (H. Werner, J. Wolf, G. Müller, C. Krüger), (342)381

trans-$[Mo(CO)_5(R_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O)]_2M$ (M = Co, Ni, Cu) complexes, synthesis and characterisation of; crystal structure of *trans*-$[Mo(CO)_5(Ph_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O)]_2Ni \cdot 2Et_2O$ (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Germanium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the

cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167
Arylhydrogermyllithiums, synthesis and applications of (A. Castel, P. Rivière, J. Satgé, Y.-H. Ko), (342)C1
Group 14–iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10
Hexamethyldigermoxane, exchange reactions with triemthylsilyl azide of (Q. Zhou, W.P. Weber), (342)291

Gold

(Triphenylphosphine)gold(I) enolate and homoenolate complexes, preparation and crystal structures of (Y. Ito, M. Inouye, M. Suginome, M. Murakami), (342)C41

Hafnium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Indium

Monocyclopentadienyl-indium and -thallium complexes, vibrational spectra and structure of (O.G. Garkusha, B.V. Lokshin, R.B. Materikova, L.M. Golubinskaya, V.I. Bregadze, A.P. Kurbakova), (342)281

Iron

η^2-Aldehyde-metal complexes, $(CO)_2(PEt_3)_2$FeRCHO (R = H, Ph), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67
Binuclear transition metal complexes with mixed bridges, characterisation of the bridges on MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)353
Butadienetricarbonyliron complexes, synthesis of chlorhydrins and epoxydienes with (J.P. Lellouche, E. Bulot, J.P. Beaucourt, J. Martelli, R. Gree), (342)C21
Cyclopentadienyliron, synthesis and reactions of chelated carbene-olefin complex of (D.L. Reger, S.A. Klaeren), (342)77
Group 14–iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10
Iron atom discrimination by carbon in ligand fragmentation around a Fe–Fe bond; crystal structure of $[\mu$-η^3-$RCH_2OC(S)SMeFe_2(CO)_5$-$P(OMe)_3]$ (A. Darchen, E.K. Lahdi, D. Grandjean, A. Mousser, H. Patin), (342)C15
$Ru(diene)_2P(OMe)_3$ complexes, synthesis of; formation of η^3:η^3-octadienediyl or η^4-octatriene ligands upon phosphite addition to M(dimethylbutadiene)$_2$CO (Me = Fe, Ru) (D.N. Cox, R. Roulet), (342)87

Lithium

Allylic lithium reagents with allyl groups partly incorporated into carbocyclic rings, preparation of (C.G. Screttas, I.C. Smonou), (342)143
(Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[(8,9,11,12,13,14-η)methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R.C. Cambie, G.R. Clark, S.R. Gallagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315
Arylhydrogermyllithiums, synthesis and application of (A. Castel, P. Rivière, J. Satgé, Y.-H. Ko), (342)C1
trans-$[CpWMe(CHO)(CO)_2]^-$ and *trans*-$[CpWH(COMe)(CO)_2]^-$, formation from $CpWMe(CO)_3$ and $LiEt_3BH$ of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5
Cyclopentadienyl- and pentamethylcyclopentadienyl-vinylnickel compounds, formation of ethylene complexes by insertion into the vinyl–Ni bonds from (H. Lehmkuhl, T. Keil), (342)C38
Organolithium unusual dimer, $\{(Me_2NCH_2CH_2NMe_2)Li[(PMe_2)CH(SiMe_3)]\}_2$, structure of (H.N. Karsch, B. Deubelly, J. Riede, G. Müller), (342)C29

Magnesium

Cp_2TiCl_2/Mg/$BrCH_2CH_2Br$ system, isomerisation of terminal alkenes by (S.A. Rao, M. Periasamy), (342)15

Manganese

η^2-Aldehyde-metal complexes, $(CO)_2(PEt_3)_2$FeRCHO (R = H, Ph), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67
Manganese and rhenium acetylene complexes, synthesis and characterisation of (H.G. Alt, H.E. Engelhardt), (342)235

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Metallocenes

Cyclopentadienyl- and pentamethylcyclopentadienyl-vinylnickel compounds, formation of ethylene complexes by insertion into the vinyl–Ni bonds from (H. Lehmkuhl, T. Keil), (342)C38

(η^5-Cyclopentadienyl)dicarbonylnitrosylchromium, ^1H and ^{13}C NMR study of carbonium ion stabilisation by (M.D. Rausch, D.J. Kowalski, E.A. Mintz), (342)201

Di-η^5-cyclopentadienylniobium binuclear and mononuclear complexes; crystal and molecular structure of $[Cp_2NbH_2]^-[Na \cdot benzo\text{-}15\text{-}crown\text{-}5]^+$ (D.A. Lemenovskii, I.E. Nifant'ev, I.F. Urazowski, E.G. Perevalova, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (342)31

Dinuclear cyclooctatetraenemetal complexes, results of synthesis attempts of; molecular dynamics of $(CpCr)_2\text{-}\mu\text{-}C_8H_8$ and $CpCrC_8H_8$ (J. Heck, G. Rist), (342)45

Ethylenebis(tetrahydroindenyl)-titanium and -zirconium dichlorides, X-ray structures of (S. Collins, B.A. Kuntz, N.J. Taylor, D.G. Ward), (342)21

Molybdenum

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Binuclear transition metal complexes with mixed bridged, characterisation of the bridges on MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)353

Di-η^5-cyclopentadienylthiophenolatoammine-molybdenum(IV) hexafluorophosphate solvate, $[Mo(\eta^5\text{-}C_5H_5)_2(NH_3)(SC_6H_5)][PF_6] \cdot (CH_3)_2CO$, X-ray crystal structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, M.H. Garcia, M.B. Hursthouse), (342)209

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

trans-$[Mo(CO)_5(R_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O]_2M$ (M = Co, Ni, Cu) complexes, synthesis and characterisation of; crystal structure of *trans*-$[Mo(CO)_5(Ph_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O)]_2Ni \cdot 2Et_2O$ (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Nickel

σ-Arylnickel complex, $ArNiX(PPh_3)_2$, electrochemical synthesis of aryl acetic and propionic esters via (J.C. Folest, J. Périchon, J.F. Fauvarque, A. Jutand), (342)259

Cyclopentadienyl- and pentamethylcyclopentadienyl-vinylnickel compounds, formation of ethylene complexes by insertion into the vinyl–Ni bonds from (H. Lehmkuhl, T. Keil), (342)C38

trans-$[Mo(CO)_5(R_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O)]_2M$ (M = Co, Ni, Cu) complexes, synthesis and characterisation of; crystal structure of *trans*-$[Mo(CO)_5(Ph_2PNHCH_2CH_2N{=}CHC_6H_4\text{-}o\text{-}O)]_2Ni \cdot 2Et_2O$ (G.M. Gray, N. Takada, A.L. Zell, H. Einspahr), (342)339

Nickel on graphite used as coupling reagent for benzyl chloride (P. Marceau, F. Beguin, G. Guillaumet), (342)137

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}\text{-}L_n$, $M_3(CO)_{12-n}L_n$ (M = Ru, Os) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}L_n$ and $M_3(CO)_{12-n}L_n$ (M = Ru, Os) (M. Castiglioni, R. Giordano, E. Sappa), (342)97

Niobium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Di-η^5-cyclopentadienylniobium binuclear and mononuclear complexes; crystal and molecular structure of $[Cp_2NbH_2]^-[Na \cdot benzo\text{-}15\text{-}crown\text{-}5]^+$ (D.A. Lemenovskii, I.E. Nifant'ev, I.F. Urazowski, E.G. Perevalova, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (342)31

Osmium

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}L_n$, $M_3(CO)_{12-n}L_n$ (M = Ru, Os) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}L_n$ and $M_3(CO)_{12-n}L_n$ (M = Ru, Os) (M. Castiglioni, R. Giordano, E. Sappa), (342)97

Phosphorus

η^2-Aldehyde-metal complexes, $(CO)_2(PEt_3)_2$-FeRCHO (R = H, Ph), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67

σ-Alkynylmanganese ligands, preparation, crystal structure and reactivity of $\{[Co_2(CO)_6][\mu\text{-}PhCCMn(CO)_4(P(cyclo\text{-}C_6H_{11}))]\}$ (G.A. Carriedo, D. Miguel, V. Riera), (342)373

Group 14–iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10

Homo- and hetero-nuclear vinyl- and vinylidene-bridged dinuclear complexes (H. Werner, J. Wolf, G. Müller, C. Krüger), (324)381

$[HRu_3(C{\equiv}CBu^t)(CO)_7(Ph_2PCH_2PPh_2)]$, crystal structure and fluxionality of (G. Predieri, A. Tiripicchio, C. Vignali, E. Sappa), (342)C33

Iron atom discrimination by carbon in ligand fragmentation around a Fe–Fe bond; crystal structure of $[\mu\text{-}\eta^3\text{-}RCH_2OC(S)SMeFe_2(CO)_5P(OMe)_3]$ (A. Darchen, E.K. Lahdi, D. Grandjean, A. Mousser, H. Patin), (342)C15

Organolithium unusual dimer, $\{(Me_2NCH_2CH_2NMe_2)Li[(PMe_2)CH(SiMe_3)]\}_2$, structure of (H.H. Karsch, B. Deubelly, J. Riede, G. Müller), (342)C29

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}L_n$, $M_3(CO)_{12-n}L_n$ (M = Ru, Os) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}L_n$ and $M_3(CO)_{12-n}L_n$ (M = Ru, Os) (M. Castiglioni, R. Giordano, E. Sappa), (342)97

Platinum and rhodium complexes with diphenylphosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263

$Ru(diene)_2P(OMe)_3$ complexes, synthesis of; formation of $\eta^3:\eta^3$-octadienediyl or η^4-octatriene ligands upon phosphite addition to $M(dimethylbutadiene)_2CO$ (M = Fe, Ru) (D.N. Cox, R. Roulet), (342)87

(Triphenylphosphine)gold(I) enolate and homoenolate complexes, preparation and crystal structures of (Y. Ito, M. Inouye, M. Suginome, M. Murakami), (342)C41

Tris(trimethyltin) tetrathiophosphate $(Me_3SnS)_3PS$, preparation, vibrational spectra and crystal structure of (A.-F. Shihada, F. Weller), (342)177

Platinum

Bis(trifluoromethyl)platinum(II) complexes, oxidative addition with *N*-donor ligands to (T.G. Appleton, R.D. Berry, J.R. Hall, D.W. Neale), (342)399

Dimethylplatinum(II) unsymmetrically substituted complexes, preparation of (D.L. Thorn, J.C. Calabrese), (342)269

Platinum and rhodium complexes with diphenylphosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263

Rhenium

η^2-Aldehyde-metal complexes, $(CO)_2(PEt_3)_2$-FeRCHO (R = H, Ph), synthesis of (R. Birk, H. Berke, H.-U. Hund, K. Evertz, G. Huttner, L. Zsolnai), (342)67

Carbonylrhenium, improved synthesis of (L.S. Crocker, G.L. Gould, D.M. Heinekey), (342)243

Manganese and rhenium acetylene complexes, synthesis and characterisation of (H.G. Alt, H.E. Engelhardt), (342)235

Mangenese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Rhodium

Homo- and hetero-nuclear vinyl- and vinylidene-bridged dinuclear complexes (H.

Werner, J. Wolf, G. Müller, C. Krüger), (342)381

Platinum and rhodium complexes with diphenylphosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263

Ruthenium

$[HRu_3(C{\equiv}CBu^t)(CO)_7(Ph_2PCH_2PPh_2)]$, crystal structure and fluxionality of (G. Predieri, A. Tiripicchio, C. Vignali, E. Sappa), (342)C33

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; behaviour of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}L_n$, $M_3(CO)_{12-n}L_n$ (M = Ru, Os) and related complexes in hydrogenation-isomerisation of 1,4-pentadiene (M. Castiglioni, R. Giordano, E. Sappa), (342)111

Phosphine-substituted and phosphido-bridged metal clusters in homogeneous catalysis; synthesis and reactivity of $CpNiM_3(\mu\text{-}H)_3(CO)_{9-n}L_n$ and $M_3(CO)_{12-n}L_n$ (M = Ru, Os) (M. Castiglioni, R. Giordano, E. Sappa), (342)97

$Ru(diene)_2P(OMe)_3$ complexes, synthesis of; formation of $\eta^3:\eta^3$-octadienediyl of η^4-octatriene ligands upon phosphite addition to $M(dimethylbutadiene)_2CO$ (M = Fe, Ru) (D.N. Cox, R. Roulet), (342)87

Ruthenium catalysts, carbonylation of diols and their ethers and esters with; synthesis of lactones and hydroxyacid ethers and esters (G. Braca, G. Sbrana, A.M. Raspolli Galletti, S. Berti), (342)245

Selenium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Silicon

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Bis(amino)stannylene, reaction with halogenoalkanes of (M. Veith, A. Müller), (342)295

trans-$[CpWMe(CHO)(CO)_2]^-$ and *trans*-$[CpWH(COMe)(CO)_2]^-$ formation from $CpWMe(CO)_3$ and $LiEt_3BH$ of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5

Group 14–iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10

Hexamethyldigermoxane, exchange reactions with trimethylsilyl azide of (Q. Zhou, W.P. Weber), (342)291

Organolithium unusual dimer, $\{(Me_2NCH_2CH_2NMe_2)Li[(PMe_2)CH(SiMe_3)]\}_2$, structure of (H.H. Karsch, B. Deubelly, J. Riede, G. Müller), (342)C29

Silyl and stannyl pyrimidines, synthesis of (C. Párkányi, N.S. Cho, G.S. Yoo), (342)1

Trimethylsilyl-*N*-aryl carbamates, solvolysis of (Z. Böcskei, D. Knausz, M. Gál, L. Szakács, B. Csákvári), (342)159

Sodium

(Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[(8,9,11,12,13,14-η)methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R.C. Cambie, G.R. Clark, S.R. Gallagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315

Di-η^5-cyclopentadienylniobium binuclear and mononuclear complexes; crystal and molecular structure of $[Cp_2NbH_2]^-[Na\cdot benzo\text{-}15\text{-}crown\text{-}5]^+$ (D.A. Lemenovskii, I.E. Nifant'ev, I.F. Urazowski, E.G. Perevalova, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (342)31

Sulphur

Allylic lithium reagents with allyl groups partly incorporated into carbocyclic rings, preparation of (C.G. Screttas, I.C. Smonou), (342)143

(Arene)tricarbonylchromium(0) complexes, preparation, structure and reactions of; crystal structure of tricarbonyl[(8,9,11,12,13,14-η)methyl-1,2,3,4-tetrahydronaphthalene]chromium(0) (R. Cambie, G.R. Clark, S.R. Gallagher, P.S. Rutledge, M.J. Stone, P.D. Woodgate), (342)315

Di-η^5-cyclopentadienylthiophenolatoammine-molybdenum(IV) hexafluorophosphate solvate, $[Mo(\eta^5\text{-}C_5H_5)_2(NH_3)(SC_6H_5)][PF_6]\cdot(CH_3)_2CO$, X-ray crystal structure (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, M.H. Garcia, M.B. Hursthouse), (342)209

Iron atom discrimination by carbon in ligand fragmentation around a Fe–Fe bond; crystal structure of $[\mu\text{-}\eta^3\text{-}RCH_2OC(S)SMeFe_2(CO)_5\text{-}P(OMe)_3]$ (A. Darchen, E.K. Lahdi, D. Grandjean, A. Mousser, H. Patin), (342)C15

μ-Oxobis(triorgano-antimony- and -bismuthsulphonates), preparation of; crystal structure of $\{[(CH_3)_3SbOH_2]_2O\}(O_3SC_6H_5)_2$ (R. Rüther, F. Huber, H. Preut), (342)185

Platinum and rhodium complexes with diphenylphosphino(methylthio)methane as a monodentate, chelated or bridging ligand, preparation of (G.K. Anderson, R. Kumar), (342)263

Tris(trimethyltin) tetrathiophosphate $(Me_3Sn)_3PS$, preparation, vibrational spectra and crystal structure of (A.-F. Shihada, F. Weller), (342)177

Tantalum

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Thallium

Monocyclopentadienyl-indium and -thallium complexes, vibrational spectra and structure of (O.G. Garkusha, B.V. Lokshin, R.B. Materikova, L.M. Golubinskaya, V.I. Bregadze, A.P. Kurbakova), (342)281

Tin

Bis(amino)stannylene, reaction with halogenoalkanes of (M. Veith, A. Müller), (342)295

Group 14–iron bonds containing complexes, photochemical diastereoselective synthesis of (B. Rouida, M. Pankowski, W. Chodkiewicz, G. Jaouen), (342)C10

Silyl and stannyl pyrimidines, synthesis of (C. Párkányi, N.S. Cho, G.S. Yoo), (342)1

Tris(trimethyltin) tetrathiophosphate, $(Me_3Sn)_3PS$, preparation, vibrational spectra and crystal structure of (A.-F. Shihada, F. Weller), (342)177

Titanium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

$Cp_2TiCl_2/Mg/BrCH_2CH_2Br$ system, isomerisation of terminal alkenes by (S.A. Rao, M. Periasamy), (342)15

Cyclopentadienyltitanium trichloride/lithium aluminium hydride and dicyclopentadienyltitanium trichloride/lithium aluminium hydride, synthesis of arenes by deoxygenation of endoxides with (C.H. Wong, C.W. Hung, H.N.C. Wong), (342)9

Ethylenebis(tetrahydroindenyl)-titanium and -zirconium dichlorides, X-ray structures of (S. Collins, B.A. Kuntz, N.J. Taylor, D.G. Ward), (342)21

Tungsten

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

trans-$[CpWMe(CHO)(CO)_2]^-$ and *trans*-$[CpWH(COMe)(CO)_2]^-$ formation from $CpWMe(CO)_3$ and $LiEt_3BH$ of (J.T. Gauntlett, B.E. Mann, M.J. Winter, S. Woodward), (342)C5

Manganese, rhenium, chromium, molybdenum and tungsten binuclear carbonyls with double hydrogen bridges, MO calculations of (B. Jeżowska-Trzebiatowska, B. Nissen-Sobocińska), (342)215

Vanadium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Zirconium

Antitumor active cyclopentadienylmetal complexes, experimental investigation to test the cyclopentadiene hypothesis (P. Köpf-Maier, H. Köpf), (342)167

Ethylenebis(tetrahydroindenyl)-titanium and -zirconium dichlorides, X-ray structures of (S. Collins, B.A. Kuntz, N.J. Taylor, D.G. Ward), (342)21

Tris[(di-π-cyclopentadienyl)(μ-terephthalato)zirconium(IV)] · dichloromethane(1/1), preparation and structure of (U. Thewalt, S. Klima, K. Berhalter), (342)303